

## Author index

- ABEDI-VALUGERDI, M., HU, H. & MÖLLER, G. Mercury-induced renal immune complex deposits in young NZB x NZWF<sub>1</sub> mice: characterization of antibodies/autoantibodies, 86
- ABO, T. *see* SUZUKI, S.
- ABO, T. *see* TOYABE, S.
- ABRAHAM-INPIJN, L. *see* WASSENAAR, A.
- AGGRAWAL, S.S. *see* MADAN, T.
- AIKOH, T. *see* TOMOKUNI, A.
- ALDHOUS, M.C. *see* FROEBEL, K.S.
- ALIMOHAMMADIAN, M.H. *see* RAFATI, S.
- ALLEN, J.T. *see* SETHI, S.K.
- ALLEN, M. *see* GLADUE, R.P.
- ALLEN, R.K. *see* BANSAL, A.S.
- ANDERSON, R. & GOOLAM MAHOMED, A. Calcium efflux and influx in f-met-leu-phe (fMLP)-activated human neutrophils are chronologically distinct events, 132
- ANTROBUS, P. *see* FERRY, B.
- ARMITAGE, M.P. *see* FROEBEL, K.S.
- ARNOTT, M. *see* FROEBEL, K.S.
- ATKINS, R.C. *see* LAN, H.Y.
- AUDRING, H. *see* FÖRSTE, N.
- BACHMANN, M. *see* KREIL, T.R.
- BACHMANN, M. *see* SCHMITZ, M.
- BADELL, I. *see* DE LA CALLE-MARTÍN, O.
- BAKER, O. *see* PRUMMEL, M.F.
- BAKKA, A. *see* RUGTVEIT, J.
- BALK, A.H.M.M. *see* VAN EMMERIK, N.E.M.
- BANCHEREAU, J. *see* VAN KOOTEN, C.
- BANNWARTH, S. *see* PERRIN, C.
- BANSAL, A.S., BRUCE, J., HOGAN, P.G. & ALLEN, R.K. An assessment of peripheral immunity in patients with sarcoidosis using measurements of serum vitamin D3, cytokines and soluble CD23, 92
- BARAM, D., RASHKOVSKY, M., HERSHKOVIZ, R., DRUCKER, I., RESHEF, T., BEN-SHITRIT, S. & MEKORI, Y.A. Inhibitory effects of low molecular weight heparin on mediator release by mast cells: preferential inhibition of cytokine production and mast cell-dependent cutaneous inflammation, 485
- BARBERA, P. *see* OTTONELLO, L.
- BAYER, B. *see* HOFFMANN, J.C.
- BAYOUMI, R. *see* YAHYA, T.M.
- BELTRAMI, B. *see* NICOLETTI, F.
- BEN-SHITRIT, S. *see* BARAM, D.
- BENDTZEN, K. *see* NICOLETTI, F.
- BENEDICT, S. *see* YAHYA, T.M.
- BENLAGHA, K. *see* LEVY, Y.
- BENTIVOGLIO, C. *see* GALDIERO, F.
- BERNARDI, M.T. *see* ROCCATELLO, D.
- BIANCO, A. & SPITERI, A. Peripheral anergy and local immune hyperactivation in sarcoidosis: a paradox or birds of a feather, 1
- BIANCO, A. *see* SETHI, S.K.
- BISCOGLIO DE JIMÉNEZ BONINO, M. *see* GOIN, J.C.
- BLAIVE, B. *see* PERRIN, C.
- BLOEMENDAL, A., VAN DER ZEE, R., RUTTEN, V.P.M.G., VAN KOOTEN, P.J.S., FARINE, J.C. & VAN EDEN, W. Experimental immunization with anti-rheumatic bacterial extract OM-89 induces T cell responses to heat shock protein (hsp)60 and hsp70; modulation of peripheral immunological tolerance as its possible mode of action in the treatment of rheumatoid arthritis (RA), 72
- BLOMSTRAND, C. *see* TARKOWSKI, E.
- BOIBIEUX, A. *see* MOJA, P.H.
- BOOTH, V. *see* KELLY, C.G.
- BORDA, E. *see* SALES, M.E.
- BRANDTZAEG, P. *see* RUGTVEIT, J.
- BREMELL, T. *see* SAKINIENE, E.
- BRIMNES, J., HALBERG, P., JACOBSEN, S., WIIG, A. & HEEGAARD, N.H.H. Specificities of anti-neutrophil autoantibodies in patients with rheumatoid arthritis (RA), 250
- BROUET, J.-C. *see* LEVY, Y.
- BRUCE, J. *see* BANSAL, A.S.
- BRUGGEMAN, C.A. *see* VAN DAM, J.G.
- BRUNEVAL, P. *see* LATREMOUILLE, CH.
- BURGER, I. *see* KREIL, T.R.
- BURNS, S.M. *see* FROEBEL, K.S.
- BURROWS, N. *see* ISAACS, J.D.
- BUZYN, A. *see* LEVY, Y.
- CACACE, G. *see* ROCCATELLO, D.
- CALLARD, R.E. *see* GENEVIER, H.C.
- CARBON, C. *see* LACROIX, C.
- CARPENTIER, A. *see* LATREMOUILLE, CH.
- CARROLL, M.C. *see* SHEERIN, N.S.
- CARSON, D.A. *see* MIZUSHIMA, N.
- CASAMITJANA, N. *see* DE LA CALLE-MARTÍN, O.
- CAVALLI, G. *see* ROCCATELLO, D.
- CESANO, G. *see* ROCCATELLO, D.
- CHAMSON, A. *see* MOJA, P.H.
- CHANG, B.I. *see* HUANG, Y.H.
- CHAPEL, H. *see* FERRY, B.
- CHAPEL, J. *see* CHRISTIE, J.M.L.
- CHAPMAN, R.W.G. *see* CHRISTIE, J.M.L.
- CHAU, F. *see* LACROIX, C.
- CHIANDUSSI, L. *see* MAULE, S.
- CHRISTIE, J.M.L., HEALEY, C.J., WATSON, J., WONG, V.S., DUDDRIDGE, M., SOWDEN, N., ROSENBERG, W.M.C., FLEMING, K.A., CHAPEL, J. & CHAPMAN, R.W.G. Clinical outcome of hypogammaglobulinemic patients following outbreak of acute hepatitis C: 2 year follow up, 4
- CLAAS, F.H.J. *see* VAN EMMERIK, N.E.M.
- COLOMBEL, M. *see* LEVY, Y.
- CONNELLY, P.A. *see* GLADUE, R.P.
- CORNET, M. *see* DELORON, P.
- CORRIGAN, C. *see* TILL, S.
- COT, M. *see* DELORON, P.
- COTTE, L. *see* MOJA, P.H.
- COUTY-JOUE, S. *see* RAFATI, S.
- CRAMER, S. *see* MEYER ZUM BÜSCHENFELDE, C.
- CUNNINGHAM, A. *see* GLADUE, R.P.
- CURTIS, M.A. *see* KELLY, C.G.
- DAANE, C.R. *see* VAN EMMERIK, N.E.M.
- DALLEGRI, F. *see* OTTONELLO, L.
- DAMOISEAUX, J.G.M.C. *see* HOMMA, M.
- DAMOISEAUX, J.G.M.C. *see* VAN DAM, J.G.
- DAPINO, P. *see* OTTONELLO, L.
- DE BRACCO, M.M.E. *see* SALES, M.E.
- DE LA CALLE-MARTÍN, O., BADELL, I., GARCÍA, A., GELPÍ, C., CASAMITJANA, N., ESTELLA, J. & RODRÍGUEZ-SANCHEZ, J.L. B cells and monocytes are not developmentally affected in a case of reticular dysgenesis, 392
- DE LEEUW, I.H. *see* VAN DER AUWERA, B.J.
- DELORON, P., DUBOIS, B., LE HESRAN, J.Y., RICHE, D., FIEVET, N., CORNET, M., RINGWALD, P. & COT, M. Isotypic analysis of maternally transmitted *Plasmodium falciparum*-specific antibodies in Cameroon, and relationships with risk of *P. falciparum* infection, 212
- DEROUIN, F. *see* LACROIX, C.
- DI MARCO, R. *see* NICOLETTI, F.
- DICKASON, R. *see* TILL, S.
- DOCKRELL, H. *see* SILVEIRA, H.
- DOMSCHKE, W. *see* KUCHARZIK, T.
- DRUCKER, I. *see* BARAM, D.

- DUBOIS, B. *see* DELORON, P.  
 DUDDRIDGE, M. *see* CHRISTIE, J.M.L.  
 DULLAART, R.P.F. *see* MELEN, L.  
 DURHAM, S. *see* TILL, S.
- EGGLETON, P. *see* MADAN, T.  
 EGUCHI, K. *see* KAWAKAMI, A.  
 EIBL, M.M. *see* KREIL, T.R.  
 EIBL, M.M. *see* THON, V.  
 EKHOLOM, S. *see* TARKOWSKI, E.  
 EKSTRAND, J. *see* LOFTENIUS, A.  
 ENDO, K. *see* SUZUKI, S.  
 ESTELLA, J. *see* DE LA CALLE-MARTÍN, O.
- FARINE, J.C. *see* BLOEMENDAL, A.  
 FARRELL, A. *see* FERRY, B.  
 FERRY, B., ANTROBUS, P., HUZICKA, I., FARRELL, A., LANE, A. & CHAPEL, H. Intracellular cytokine expression in whole blood preparations from normals and patients with atopic dermatitis, 410  
 FIEVET, N. *see* DELORON, P.  
 FIORELLI, G. *see* NICOLETTI, F.  
 FLEISCHER, B. *see* MEYER ZUM BÜSCHENFELDE, C.  
 FLEMING, K.A. *see* CHRISTIE, J.M.L.  
 FÖRSTE, N., GELLRICH, S., GOLEMBOWSKI, S., RUTZ, S., AUDRING, H., STERRY, W. & JAHN, S. Analysis of V<sub>H</sub> genes rearranged by individual B cells in dermal infiltrates of patients with mycosis fungoides, 464  
 FRAISS, S. *see* KREIL, T.R.  
 FRANGIONE, B. *see* KAPLAN, B.  
 FROEBEL, K.S., MOK, J.Y.Q., ALDHOUS, M.C., ARMITAGE, M.P., ARNOTT, M., REYNOLDS, L.M., PEUTHERER, J.F. & BURNS, S.M. *In vitro* measurement of cytotoxic T cell activity does not predict clinical progression paediatric HIV disease—two case studies, 15  
 FROSCH, S. *see* MEYER ZUM BÜSCHENFELDE, C.  
 FUJITA, T. *see* TERAI, I.
- GALDIERO, F., GALDIERO, M., NUZZO, I., VITIello, M., BENTIVOGLIO, C. & ROMANO-CARRATELLI, C. Polyclonal T cell elimination by prolonged immunostimulation in an experimental model, 182  
 GALDIERO, M. *see* GALDIERO, F.  
 GALIBERT, L. *see* VAN KOOTEN, C.  
 GALLO, G. *see* KAPLAN, B.  
 GARCÍA, A. *see* DE LA CALLE-MARTÍN, O.  
 GARDNER, J. *see* GLADUE, R.P.  
 GARRONE, P. *see* VAN KOOTEN, C.  
 GELLRICH, S. *see* FÖRSTE, N.  
 GELPÍ, C. *see* DE LA CALLE-MARTÍN, O.  
 GENEVAZ, D. *see* LATREMOUILLE, CH.  
 GENEVIER, H.C. & CALLARD, R.E. Impaired Ca<sup>2+</sup> mobilization by X-linked agammaglobulinaemia (XLA) B cells in response to ligation of the B cell receptor (BCR), 386  
 GENIN, C. *see* MOJA, P.H.  
 GHISO, J. *see* KAPLAN, B.  
 GIORDANENGO, V. *see* PERRIN, C.  
 GLADUE, R.P., ALLEN, M., CUNNINGHAM, A., GARDNER, J., LAQUERRE, A.M., CONNELLY, P.A., SHAW, A.S. & MCNEISH, J. Phenotypic characterization and analysis of allogeneic T cell responses in ZAP-70 dominant negative transgenic mice, 397  
 GLOTZ, D. *see* LATREMOUILLE, CH.  
 GOIN, J.C., VENERA, G., BISCIOGLIO DE JIMÉNEZ BONINO, M. & STERIN-BORDA, L. Circulating antibodies against nicotinic acetylcholine receptors in chagasic patients, 219  
 GOLEMBOWSKI, S. *see* FÖRSTE, N.  
 GOODFELLOW, R.M., WILLIAMS, A.S., LEVIN, J.L., WILLIAMS, B.D. & MORGAN, B.P. Local therapy with soluble complement receptor 1 (sCR1) suppresses inflammation in rat mono-articular arthritis, 45  
 GOOLAM MAHOMED, A. *see* ANDERSON, R.  
 GORUS, F.K. *see* VAN DER AUWERA, B.J.  
 GOUSSEF, N. *see* LATREMOUILLE, CH.  
 GRASSO, S. *see* NICOLETTI, F.  
 GRAULS, G. *see* VAN DAM, J.G.
- HAEFFNER-CAVAILLON, N. *see* LATREMOUILLE, CH.  
 HALBERG, P. *see* BRIMNES, J.  
 HALE, G. *see* ISAACS, J.D.
- HANEJI, N. *see* YANAGI, K.  
 HARIDAS, V. & KAMAT, R.S. Antigen-presenting cells (APC) of mice with chronic graft-versus-host disease (GVHD) cause excessive activation-induced death of T helper cells, 454  
 HARMSEN, M.C., HEERINGA, P., VAN DER GELD, Y.M., HUITEMA, M.G., KLIMP, A., TIRAN, A. & KALLENBERG, C.G.M. Recombinant proteinase 3 (Wegener's antigen) expressed in *Pichia pastoris* is functionally active and is recognized by patient sera, 257  
 HARTLEY, B. *see* SHEERIN, N.S.  
 HATAKEYAMA, K. *see* SUZUKI, S.  
 HAUBER, I. *see* THON, V.  
 HAYASHI, Y. *see* YANAGI, K.  
 HAZELMAN, B.L. *see* ISAACS, J.D.  
 HEALEY, C.J. *see* CHRISTIE, J.M.L.  
 HEEGAARD, N.H.H. *see* BRIMNES, J.  
 HEERINGA, P. *see* HARMSEN, M.C.  
 HEINEN, E. *see* MELEN, L.  
 HENNEN, G. *see* MELEN, L.  
 HERKLOTZ, C. *see* HOFFMANN, J.C.  
 HERSHKOVITZ, R. *see* BARAM, D.  
 HESSE, C. *see* VAN EMMERIK, N.E.M.  
 HISHINUMA, T. *see* MIZUGAKI, M.  
 HOFFMANN, J.C., HERKLOTZ, C., ZEIDLER, H., BAYER, B. & WESTERMANN, J. Anti-CD2 (OX34) MoAb treatment of adjuvant arthritic rats: attenuation of established arthritis, selective depletion of CD4<sup>+</sup> T cells, and CD2 down-modulation, 63  
 HOGAN, P.G. *see* BANSAL, A.S.  
 HOMMA, M., VAN BREDA VRIESMAN, P.J.C. & DAMOISEAUX, J.G.M.C. Defective *de novo* thymocyte maturation in cyclosporin A (CsA)-induced autoimmunity: expression of costimulatory and activation molecules, 79  
 HU, H. *see* ABEDI-VALUGERDI, M.  
 HU, M.C. *see* LATREMOUILLE, CH.  
 HUANG, Y.H., CHANG, B.I., LEI, H.Y., LIU, H.S., LIU, C.C., WU, H.L. & YEH, T.M. Antibodies against dengue virus E protein peptide bind to human plasminogen and inhibit plasmin activity, 35  
 HUGHES, D.A. & PINDER, A.C. N-3 polyunsaturated fatty acids modulate the expression of functionally associated molecules on human monocytes and inhibit antigen presentation *in vitro*, 516  
 HUITEMA, M.G. *see* HARMSEN, M.C.  
 HUSTON, D. *see* TILL, S.  
 HUZICKA, I. *see* FERRY, B.
- IGOUT, A. *see* MELEN, L.  
 IIAI, T. *see* SUZUKI, S.  
 ISAACS, J.D., BURROWS, N., WING, M., KEOGAN, M.T., REBELLO, P.R.U.B., WATTS, R.A., PYE, R.J., NORRIS, P., HAZELMAN, B.L., HALE, G. & WALDMANN, H. Humanized anti-CD4 monoclonal antibody therapy of autoimmune and inflammatory disease, 158  
 ISHIIHARA, C., OCHIAI, K., KAGAMI, M., TAKAHASHI, H., MATSUYAMA, G., YOSHIDA, S., TOMIOKA, H. & KOYA, N. Human peripheral eosinophils express functional interferon-gamma receptors (IFN-γR), 524  
 ISHIKAWA, N. *see* KAWAKAMI, A.  
 ISHIMARU, N. *see* YANAGI, K.  
 ISHIWATA, S. *see* MIZUGAKI, M.  
 ISOZAKI, T. *see* TOMOKUNI, A.  
 ITO, K. *see* KAWAKAMI, A.
- JACKSON, M. *see* SILVEIRA, H.  
 JACOBSEN, S. *see* BRIMNES, J.  
 JAHN, S. *see* FÖRSTE, N.  
 JAHREIS, A. *see* RUMP, J.A.  
 JALII, A. *see* MOJA, P.H.  
 JENSEN, C. *see* TARKOWSKI, E.
- KAGAMI, M. *see* ISHIIHARA, C.  
 KALLENBERG, C.G.M. *see* HARMSEN, M.C.  
 KAMAT, R.S. *see* HARIDA, V.  
 KAPLAN, B., VIDAL, R., KUMAR, J., GHISO, J., FRANGIONE, B. & GALLO, G. Amino-terminal identity of co-existent amyloid and non-amyloid immunoglobulin κ light chain deposits. A human disease to study alterations of protein conformation, 472  
 KAPSENBERG, M.L. *see* WASSENAAR, A.  
 KAWABE, K. *see* KAWAKAMI, A.

- KAWAKAMI, A., EGUCHI, K., MATSUOKA, N., TSUBOI, M., URAYAMA, S., KAWABE, K., TAHARA, N., ISHIKAWA, N., ITO, K. & NAGATAKI, S. Modulation of Fas-mediated apoptosis of mouse thyroid epithelial cells by IgG from patients with Graves' disease (GD) and idiopathic myxoedema, 434
- KAY, A.B. *see* TILL, S.
- KELLY, C.G., BOOTH, V., KENDAL, H., SLANEY, J.M., CURTIS, M.A. & LEHNER, T. The relationship between colonization and haemagglutination inhibiting and B cell epitopes of *Porphyromonas gingivalis*, 285
- KENDAL, H. *see* KELLY, C.G.
- KEOGAN, M.T. *see* ISAACS, J.D.
- KHAR, A., MURALIKRISHNA, K. & VARALAKSHMI, CH. High intratumoural level of cytokines mediates efficient regression of a rat histiocytoma, 127
- KIEVITS, F. *see* WASSENAAR, A.
- KISHIMOTO, T. *see* TOMOKUNI, A.
- KISHORE, U. *see* MADAN, T.
- KITA, S. *see* TOMOKUNI, A.
- KLIMP, A. *see* HARSEN, M.C.
- KNIGHT, R.A. *see* SETHI, S.K.
- KNOOP, C.J. *see* VAN EMMERIK, N.E.M.
- KOBAYASHI, K. *see* TERAI, I.
- KOHSAKA, H. *see* MIZUSHIMA, N.
- KOYA, N. *see* ISHIHARA, C.
- KREIL, T.R., BURGER, I., BACHMANN, M., FRAISS, S. & EIBL, M.M. Antibodies protect mice against challenge with tick-borne encephalitis virus (TBEV)-infected macrophages, 358
- KUCHARZIK, T., LÜGERING, N., WINDE, G., DOMSCHKE, W. & STOLL, R. Colon carcinoma cell lines stimulate monocytes and lamina propria mononuclear cells to produce IL-10, 296
- KUMAR, J. *see* KAPLAN, B.
- KUSAKA, M. *see* TOMOKUNI, A.
- KUWANO, Y. *see* TOYABE, S.
- LACROIX, C., CHAU, F., CARBON, C., SINET, M. & DEROUIN, F. *Cryptococcus neoformans* infection in mice previously infected with LP-BM5 MuLV, the agent of murine AIDS (MAIDS), 196
- LAMB, J. *see* TILL, S.
- LAMBERIGTS, G. *see* VAN DER AUWERA, B.J.
- LAN, H.Y., NIKOLIC-PATERSON, D.J., MU, W. & ATKINS, R.C. Local macrophage proliferation in the pathogenesis of glomerular crescent formation in rat anti-glomerular basement membrane (GBM) glomerulonephritis, 233
- LANE, A. *see* FERRY, B.
- LAQUERRE, A.M. *see* GLADUE, R.P.
- LAASSOUED, K. *see* LEVY, Y.
- LATREMOUILLE, CH., GENEVAZ, D., HU, M.C., SCHUSSLER, O., GOUSSEF, N., MANDET, C., BRUNEAU, P., HAEFFNER-CAVAILLON, N., CARPENTIER, A. & GLOTZ, D. Normal human immunoglobulins for intravenous use (IVIg) delay hyperacute xenograft rejection through F(ab')<sub>2</sub>-mediated anti-complement activity, 122
- LAUBINGER, J. *see* SCHMITZ, M.
- LAZZARIN, A. *see* ROCCATELLO, D.
- LE HESRAN, J.Y. *see* DELORON, P.
- LEFEBVRE, J.-C. *see* PERRIN, C.
- LEHNER, T. *see* KELLY, C.G.
- LEI, H.Y. *see* HUANG, Y.H.
- LEVIN, J.L. *see* GOODFELLOW, R.M.
- LEVY, Y., BENLAGHA, K., BUZYN, A., COLOMBEL, M., BROUET, J.-C. & LAASSOUED, K. IL-7 sensitizes human pre-B cells but not pro-B cells to Fas/APO-1 (CD95)-mediated apoptosis, 329
- LITZMAN, J. *see* THON, V.
- LIU, C.C. *see* HUANG, Y.H.
- LIU, H.S. *see* HUANG, Y.H.
- LIU, Y.-J. *see* VAN KOOTEN, C.
- LIVROZET, J.M. *see* MOJA, P.H.
- LOCKWOOD, C.M. *see* SHORT, A.K.
- LOFTENIUS, A., EKSTRAND, J. & MÖLLER, E. *In vitro* effects of mercuric chloride (HgCl<sub>2</sub>) on human mononuclear cells, 418
- LOKAJ, J. *see* THON, V.
- LOUIS, J.A. *see* RAFATI, S.
- LUCHT, F. *see* MOJA, P.H.
- LÜGERING, N. *see* KUCHARZIK, T.
- MADAN, T., KISHORE, U., SHAH, A., EGGLETON, P., STRONG, P., WANG, J.Y., AGRAWAL, S.S., SARMA, P.U. & REID, K.B.M. Lung surfactant proteins A and D can inhibit specific IgE binding to the allergens of *Aspergillus fumigatus* and block allergen-induced histamine release from human basophils, 241
- MAGRO, G. *see* NICOLETTI, F.
- MANDET, C. *see* LATREMOUILLE, CH.
- MARINONE, C. *see* MAULE, S.
- MARTI, W.R. *see* OERTLI, D.
- MARUCCO, E. *see* MAULE, S.
- MARUYAMA, S. *see* SUZUKI, S.
- MATHIESON, P.W. The ins and outs of glomerular crescent formation, 155
- MATSUKI, T. *see* TOMOKUNI, A.
- MATSUOKA, N. *see* KAWAKAMI, A.
- MATSUSHITA, M. *see* TERAI, I.
- MATSUYAMA, G. *see* ISHIHARA, C.
- MAULE, S., QUADRI, R., MIRANTE, D., PELLERITO, R.A., MARUCCO, E., MARINONE, C., VERGANI, D., CHIANDUSSI, L. & ZANONE, M.M. Autonomic nervous dysfunction in systemic lupus erythematosus (SLE) and rheumatoid arthritis (RA): possible pathogenic role of autoantibodies to autonomic nervous structures, 423
- MCHUGH, S.M. & ROWLAND, T.L. Thalidomide and derivatives: immunological investigations of tumour necrosis factor- $\alpha$  (TNF- $\alpha$ ) inhibition suggest drugs capable of selective gene regulation 151
- MENEIS, J. *see* GLADUE, R.P.
- MEKORI, Y.A. *see* BARAM, D.
- MELEN, L., HENNEN, G., DULLAART, R.P.F., HEINEN, E. & IGOUT, A. Both pituitary and placental growth hormone transcripts are expressed in human peripheral blood mononuclear cells (PBMC), 336
- MERONI, P.L. *see* NICOLETTI, F.
- MEYER ZUM BÜSCHENFELDE, C., CRAMER, S., TRUMPFHILLER, C., FLEISCHER, B. & FROSCH, S. *Trypanosoma cruzi* induces strong IL-12 and IL-18 gene expression *in vivo*: correlation with interferon- $\gamma$  production, 378
- MINAGAWA, M. *see* SUZUKI, S.
- MIRANTE, D. *see* MAULE, S.
- MIYASAKA, N. *see* MIZUSHIMA, N.
- MIZUGAKI, M., YAMAGUCHI, T., ISHIWATA, S., SHINDO, H., HISHINUMA, T., NOZAKI, S. & NOSE, M. Alteration of DNA methylation levels in MRL lupus mice, 265
- MIZUSHIMA, N., KOHSAKA, H., NANKI, T., OLLIER, W.E.R., CARSON, D.A. & MIYASAKA, N. HLA-dependent peripheral T cell receptor (TCR) repertoire formation and its modification by rheumatoid arthritis (RA), 428
- MOCHTAR, B. *see* VAN EMMERIK, N.E.M.
- MOJA, PH., JALIL, A., QUESNEL, A., PEROL, M., COTTE, L., LIVROZET, J.M., BOIBIEUX, A., CHAMSON, A., VERGNON, J.M., LUCHT, F., TRAN, R., POZZETTO, B. & GENIN, C. Humoral immune response with the lung in HIV-1 infection, 341
- MOK, J.Y.Q. *see* FROEBEL, K.S.
- MOLD, C. *see* REILLY, B.D.
- MÖLLER, E. *see* LOFTENIUS, A.
- MÖLLER, G. *see* ABEDI-VALUGERDI, M.
- MORGAN, B.P. *see* GOODFELLOW, R.M.
- MORODA, T. *see* SUZUKI, S.
- MORSICA, G. *see* ROCCATELLO, D.
- MU, W. *see* LAN, H.Y.
- MURALIKRISHNA, K. *see* KHAR, A.
- NAGATAKI, S. *see* KAWAKAMI, A.
- NANKI, T. *see* MIZUSHIMA, N.
- NARBAITZ, M. *see* SALES, M.E.
- NICOLETTI, F., BELTRAMI, B., RASCHI, E., DI MARCO, R., MAGRO, G., GRASSO, S., BENDTZEN, K., FIORELLI, G. & MERONI, P.L. Protection from concanavalin A (Con A)-induced T cell-dependent hepatic lesions and modulation of cytokine release in mice by sodium fusidate, 479
- NIKOLIC-PATERSON, D.J. *see* LAN, H.Y.
- NORRIS, P. *see* ISAACS, J.D.
- NORTON, J.A. *see* OERTLI, D.
- NOSE, M. *see* MIZUGAKI, M.
- NOZAKI, S. *see* MIZUGAKI, M.
- NUZZO, I. *see* GALDIERO, F.
- O'BRIEN, F. *see* TILL, S.

- OCHIAI, K. *see* ISHIIHARA, C.  
 OERTLI, D., MARTI, W.R., NORTON, J.A. & TSUNG, K. Artificial antigen-presenting cells engineered by recombinant vaccinia viruses expressing antigen, MHC class II, and costimulatory molecules elicit proliferation of CD4<sup>+</sup> lymphocytes *in vitro*, 144  
 OLLIER, W.E.R. *see* MIZUSHIMA, N.  
 ORDWAY, D. *see* SILVEIRA, H.  
 OTSUKI, T. *see* TOMOKUNI, A.  
 OTTONELLO, L., BARBERA, P., DAPINO, P., SACCHETTI, C. & DALLEGRI, F. Chemoattractant-induced release of elastase by lipopolysaccharide (LPS)-primed neutrophils; inhibitory effect of the anti-inflammatory drug nimesulide, 139  
  
 PELLERITO, R.A. *see* MAULE, S.  
 PEROL, M. *see* MOJA, P.H.  
 PERRIN, C., GIORDANENGO, V., BANNWARTH, S., BLAIVE, B. & LEFEBVRE, J.-C. Altered sialylation of alveolar macrophages in HIV-1-infected individuals, 22  
 PETER, H.H. *see* RUMP, J.A.  
 PEUTHERER, J.F. *see* FROEBEL, K.S.  
 PICCIOTTO, G. *see* ROCCATELLO, D.  
 PICCOLLI, G. *see* ROCCATELLO, D.  
 PINDER, A.C. *see* HUGHES, D.A.  
 POZZETTO, B. *see* MOJA, P.H.  
 PRUIJN, G.J.M. *see* SCHMITZ, M.  
 PRUMMEL, M.F., VAN PAREREN, Y., BAKER, O. & WIERSINGA, W.M. Anti-heat shock protein (hsp)72 antibodies are present in patients with Graves' disease (GD) and in smoking control subjects, 292  
 PYE, R.J. *see* ISAACS, J.D.  
  
 QUADRI, R. *see* MAULE, S.  
 QUESNEL, M. *see* MOJA, P.H.  
  
 RAFATI, S., COUTY-JOUE, S., ALIMOHAMMADIAN, M.H. & LOUIS, J.A. Biochemical analysis and immunogenicity of *Leishmania major* amigotite fractions in cutaneous leishmaniasis, 203  
 RASCHI, E. *see* NICOLETTI, F.  
 RASHKOVSKY, M. *see* BARAM, D.  
 REBELLO, P.R.U.B. *see* ISAACS, J.D.  
 REID, K.B.M. *see* MADAN, T.  
 REILLY, B.D. & MOLD, C. Quantitative analysis of C4Ab and C4Bb binding to the C3b/C4b receptor (CR1, CD35), 310  
 RESHEF, T. *see* BARAM, D.  
 REYNOLDS, L.M. *see* FROEBEL, K.S.  
 RICHE, D. *see* DELORON, P.  
 RIFAI, A. *see* ROCCATELLO, D.  
 RINGWALD, P. *see* DELORON, P.  
 ROCCATELLO, D., MORSICA, G., PICCIOTTO, G., CESANO, G., ROPOLO, R., BERNARDI, M.T., CACACE, G., CAVALLI, G., SENA, L.M., LAZZARIN, A., PICCOLLI, G. & RIFAI, A. Impaired hepatosplenic elimination of circulating cryoglobulins in patients with essential mixed cryoglobulinaemia and hepatitis C virus (HCV) infection, 9  
 RODRIGUEZ, M. *see* SALES, M.E.  
 RODRIGUEZ-SANCHEZ, J.L. *see* DE LA CALLE-MARTIN, O.  
 ROMANO-CARRATELLI, C. *see* GALDIERO, F.  
 ROPOLO, R. *see* ROCCATELLO, D.  
 ROSENBERG, W.M.C. *see* CHRISTIE, J.M.L.  
 ROSENGREN, L. *see* TARKOWSKI, E.  
 ROWLAND, T.L. *see* MCHUGH, S.M.  
 RUGTVEIT, J., BAKKA, A. & BRANDTZAEG, P. Differential distribution of B7.1 (CD80) and B7.2 (CD86) costimulatory molecules on mucosal macrophage subsets in human inflammatory bowel disease (IBD), 104  
 RUMP, J.A., JAHREIS, A., SCHLESIER, M., STECHER, S. & PETER, H.H. A double blind, placebo-controlled, crossover therapy study with natural human IL-2 (nhuIL-2) in combination with regular intravenous gamma-globulin (IVIg) infusions in 10 patients with common variable immunodeficiency (CVID), 167  
 RUTTEN, V.P.M.G. *see* BLOEMENDAL, A.  
 RUTZ, S. *see* FÖRSTE, N.  
  
 SACCHETTI, C. *see* OTTONELLO, L.  
 SACKS, S.H. *see* SHEERIN, N.S.  
 SAITO, I. *see* YANAGI, K.  
 SAKINIENE, E., BREMELL, T. & TARKOWSKI, A. Inhibition of nitric oxide synthase (NOS) aggravates *Staphylococcus aureus* septicaemia and septic arthritis, 370  
 SALES, M.E., STERIN-BORDA, I., DE BRACCO, M.M.E., RODRIGUEZ, M., NARBAITZ, M. & BORDA, E. IgA from HIV<sup>+</sup> haemophilic patients triggers intracellular signals coupled to the cholinergic system of the intestine, 189  
 SAMSTAG, A. *see* THON, V.  
 SARMA, P.U. *see* MADAN, T.  
 SASGARY, M. *see* THON, V.  
 SCHLESIER, M. *see* RUMP, J.A.  
 SCHMITZ, M., BACHMANN, M., LAÜBINGER, J., THUSSEN, J.P.H. & PRUIJN, G.J.M. Characterization of murine monoclonal antibodies against the Ro52 autoantigen, 53  
 SCHUIT, F.C. *see* VAN DER AUWERA, B.J.  
 SCHUSSLER, O. *see* LATREMOUILLE, CH.  
 SENA, L.M. *see* ROCCATELLO, D.  
 SEON, B.K. *see* VAN KOOTEN, C.  
 SETHI, S.K., BIANCO, A., ALLEN, J.T., KNIGHT, R.A. & SPITERI, M.A. Interferon-gamma (IFN- $\gamma$ ) down-regulates the rhinovirus-induced expression of intercellular adhesion molecule-1 (ICAM-1) on human airway epithelial cells, 362  
 SHAH, A. *see* MADAN, T.  
 SHALABI, A. *see* YAHYA, T.M.  
 SHAW, A.S. *see* GLADUE, R.P.  
 SHEERIN, N.S., SPRINGALL, T., CARROLL, M.C., HARTLEY, B. & SACKS, S.H. Protection against anti-glomerular basement membrane (GMB)-mediated nephritis in C3- and C4-deficient mice, 403  
 SHINDO, H. *see* MIZUGAKI, M.  
 SHORT, A.K. & LOCKWOOD, C.M. Studies of epitope restriction on myeloperoxidase (MPO), an important antigen in systemic vasculitis, 270  
 SILVEIRA, H., ORDWAY, D., DOCKRELL, H., JACKSON, M. & VENTURA, F. Cell-mediated immune responses to mycobacterial antigens in patients with pulmonary tuberculosis and HIV infection, 26  
 SINET, M. *see* LACROIX, C.  
 SLANEY, J.M. *see* KELLY, C.G.  
 SNIJDERS, A. *see* WASSENAAR, A.  
 SOWDEN, N. *see* CHRISTIE, J.M.L.  
 SPITERI, A. *see* BIANCO, A.  
 SPITERI, M.A. *see* SETHI, S.K.  
 SPRINGALL, T. *see* SHEERIN, N.S.  
 STECHER, S. *see* RUMP, J.A.  
 STERIN-BORDA, I. *see* SALES, M.E.  
 STERIN-BORDA, L. *see* GOIN, J.C.  
 STERRY, W. *see* FÖRSTE, N.  
 STOLL, R. *see* KUCHARZIK, T.  
 STRONG, P. *see* MADAN, T.  
 SUZUKI, S., TOYABE, S., MORODA, T., TADA, T., TSUKAHARA, A., IIAL, T., MINAGAWA, M., MARUYAMA, S., HATAKEYAMA, K., ENDO, K. & ABO, T. Circadian rhythm of leucocytes and lymphocyte subsets and its possible correlation with the function of the autonomic nervous system, 500  
  
 TADA, T. *see* SUZUKI, S.  
 TAHARA, N. *see* KAWAKAMI, A.  
 TAKAHASHI, H. *see* ISHIIHARA, C.  
 TAKEDA, K. *see* TOYABE, S.  
 TARKOWSKI, A. *see* SAKINIENE, E.  
 TARKOWSKI, A. *see* TARKOWSKI, E.  
 TARKOWSKI, E., ROSENGREN, L., BLOMSTRAND, C., WIKKELSÖ, C., JENSEN, C., EKHOLM, S. & TARKOWSKI, A. Intrathecal release of pro- and anti-inflammatory cytokines during stroke, 492  
 TEN BERGE, I.J.M. *see* VAN DER VLIET, H.J.J.  
 TERA, I., KOBAYASHI, K., MATSUSHITA, M. & FUJITA, T. Human serum mannose-binding lectin (MBL)-associated serine protease-1 (MASP-1): determination of levels in body fluids and identification of two forms in serum, 317  
 THE BELGIAN DIABETES REGISTRY *see* VAN DER AUWERA, B.J.  
 THUSSEN, J.P.H. *see* SCHMITZ, M.  
 THON, V., WOLF, H.M., SASGARY, M., LITZMAN, J., SAMSTAG, A., HAUBER, I., LOKAJ, J. & EIBL, M.M. Defective integration of activating signals derived from the T cell receptor (TCR) and costimulatory molecules in both CD4<sup>+</sup> and CD8<sup>+</sup> T lymphocytes of common variable immunodeficiency (CVID) patients, 174

- TILL, S., WALKER, S., DICKASON, R., HUSTON, D., O'BRIEN, F., LAMB, J., KAY, A.B., CORRIGAN, C. & DURHAM, S. IL-5 production by allergen-stimulated T cells following grass pollen immunotherapy for seasonal allergic rhinitis, 114
- TIRAN, A. *see* HARMSSEN, M.C.
- TOMIOKA, H. *see* ISHIIHARA, C.
- TOMOKUNI, A., AIKOH, T., MATSUKI, T., ISOZAKI, T., OTSUKI, T., KITA, S., UEKI, H., KUSAKA, M., KISHIMOTO, T. & UEKI, A. Elevated soluble Fas/APO-1 (CD95) levels in silicosis patients without clinical symptoms of autoimmune diseases or malignant tumours, 303
- TOYABE, S. *see* SUZUKI, S.
- TOYABE, S., KUWANO, Y., TAKEDA, K., UCHIYAMA, M. & ABO, T. IgA nephropathy-specific expression of the IgA Fc receptors (CD89) on blood phagocytic cells, 226
- TRANS, R. *see* MOJA, P.H.
- TRUMPFHELLER, C. *see* MEYER ZUM BÜSCHENFELDE, C.
- TSUBOI, M. *see* KAWAKAMI, A.
- TSUKAHARA, A. *see* SUZUKI, S.
- TSUNG, K. *see* OERTLI, D.
- UCHIYAMA, M. *see* TOYABE, S.
- UEKI, A. *see* TOMOKUNI, A.
- UEKI, H. *see* TOMOKUNI, A.
- URAYAMA, S. *see* KAWAKAMI, A.
- VAESSEN, L.M.B. *see* VAN EMMERIK, N.E.M.
- VAN BRED A VRIESMAN, P.J.C. *see* HOMMA, M.
- VAN BRED A VRIESMAN, P.J.C. *see* VAN DAM, J.G.
- VAN DAM, J.G., DAMOISEAUX, J.G.M.C., VAN DER HEIJDEN, H.A.M.D., GRAULS, G., VAN BRED A VRIESMAN, P.J.C. & BRUGGEMAN, C.A. Infection with rat cytomegalovirus (CMV) in the immunocompromised host is associated with the appearance of a T cell population with reduced CD8 and T cell receptor (TCR) expression, 349
- VAN DER AUWERA, B.J., VANDEWALLE, C.L., SCHUIT, F.C., WINNOCK, F., DE LEEUW, I.H., VAN IMSCHOOT, S., LAMBERIGTS, G., GORUS, F.K. & THE BELGIAN DIABETES REGISTRY. CTLA-4 gene polymorphism confers susceptibility to insulin-dependent diabetes mellitus (IDDM) independently from age and from other genetic or immune disease markers, 98
- VAN DER GELD, Y.M. *see* HARMSSEN, M.C.
- VAN DER HEIJDEN, H.A.M.D. *see* VAN DAM, J.G.
- VAN DER VLIET, H.J.J., WEVER, P.C., VAN DIEPEN, F.N.J., YONG, S.-L. & TEN BERGE, I.J.M. Quantification of Bax/Bcl-2 ratios in peripheral blood lymphocytes, monocytes and granulocytes and their relation to susceptibility to anti-Fas (anti-CD95)-induced apoptosis, 324
- VAN DER ZEE, R. *see* BLOEMENDAL, A.
- VAN DIEPEN, F.N.J. *see* VAN DER VLIET, H.J.J.
- VAN EDEN, W. *see* BLOEMENDAL, A.
- VAN EMMERIK, N.E.M., DAANE, C.R., KNOOP, C.J., HESSE, C., VAESSEN, L.M.B., BALK, A.H.M.M., MOCHTAR, B., CLAAS, F.H.J. & WEIMAR, W. The avidity of allospecific cytotoxic T lymphocytes (CTL) determines their cytokine production profile, 447
- VAN IMSCHOOT, S. *see* VAN DER AUWERA, B.J.
- VAN KOOTEN, C., GALIBERT, L., SEON, B.K., GARRONE, P., LIU, Y.-J. & BANCHEREAU, J. Cross-linking of antigen receptor via Ig- $\beta$  (B29, CD79b) can induce both positive and negative signals in CD40-activated human B cells, 509
- VAN KOOTEN, P.J.S. *see* BLOEMENDAL, A.
- VAN PAREREN, Y. *see* PRUMMEL, M.F.
- VANDEWALLE, C.L. *see* VAN DER AUWERA, B.J.
- VARALAKSHMI, CH. *see* KHAR, A.
- VENERA, G. *see* GOIN, J.C.
- VENTURA, F. *see* SILVEIRA, H.
- VERGANI, D. *see* MAULE, S.
- VERGNON, J.M. *see* MOJA, P.H.
- VIDAL, R. *see* KAPLAN, B.
- VITIELLO, M. *see* GALDIERO, F.
- WALDMANN, H. *see* ISAACS, J.D.
- WALKER, S. *see* TILL, S.
- WANG, J.Y. *see* MADAN, T.
- WASSENAR, A., SNIJDERS, A., ABRAHAM-INPIJN, L., KAPSENBERG, M.L. & KIEVITS, F. Antigen-presenting properties of gingival fibroblasts in chronic adult periodontitis, 277
- WATSON, J. *see* CHRISTIE, J.M.L.
- WATTS, R.A. *see* ISAACS, J.D.
- WEIMAR, W. *see* VAN EMMERIK, N.E.M.
- WESTERMANN, J. *see* HOFFMANN, J.C.
- WEVER, P.C. *see* VAN DER VLIET, H.J.J.
- WIERSINGA, W.M. *see* PRUMMEL, M.F.
- WIJK, A. *see* BRIMNES, J.
- WIKKELÖ, C. *see* TARKOWSKI, E.
- WILLIAMS, A.S. *see* GOODFELLOW, R.M.
- WILLIAMS, B.D. *see* GOODFELLOW, R.M.
- WINDE, G. *see* KUCHARZIK, T.
- WING, M. *see* ISAACS, J.D.
- WINNOCK, F. *see* VAN DER AUWERA, B.J.
- WOLF, H.M. *see* THON, V.
- WONG, V.S. *see* CHRISTIE, J.M.L.
- WU, H.L. *see* HUANG, Y.H.
- YAHYA, T.M., BENEDICT, S., SHALABI, A. & BAYOUMI, R. Anti-neutrophil cytoplasmic antibody (ANCA) in malaria is directed against cathepsin G, 41
- YAMAGUCHI, T. *see* MIZUGAKI, M.
- YANAGI, K., HANEJI, N., ISHIMARU, N., SAITO, I. & HAYASHI, Y. Analysis of T cell receptor V $\beta$  usage in the autoimmune sialadenitis of non-obese diabetic (NOD) mice, 440
- YEH, T.M. *see* HUANG, Y.H.
- YONG, S.-L. *see* VAN DER VLIET, H.J.J.
- YOSHIDA, S. *see* ISHIIHARA, C.
- ZANONE, M.M. *see* MAULE, S.
- ZEIDLER, H. *see* HOFFMANN, J.C.



## Subject Index

- 5-azacytidine, 265  
5-methyldeoxycytidine, 265
- activation, 174  
activation-induced cell death, 454  
adjuvant arthritis, 63  
AIDS intestinal disease, 189  
allergen, 241  
allergy, 114  
allogeneic responses, 397  
alveolar macrophage, 22  
anti-CD4, 158  
anti-glomerular basement membrane disease, 403  
anti-HIV antibodies, 341  
anti-neutrophil cytoplasmic antibodies, 41  
anti-neutrophil cytoplasmic antibody, 257  
anti-Sm antibody, 392  
antibacterial antibodies, 341  
antibodies, 86, 358  
antibody, 212  
antibody response, 35  
antigen arthritis, 45  
antigen presentation, 277, 516  
antigen-presenting cell, 144  
antigen-presenting cells, 454  
apoptosis, 303, 324  
arthritis, 72  
*Aspergillus fumigatus*, 241  
atopic dermatitis, 410  
autoantibodies, 41, 86, 98, 219, 250, 292  
autoantigen, 53  
autoimmune disease, 265  
autoimmune diseases, 479  
autoimmune sialadenitis, 440  
autoimmunity, 53, 79, 303, 310  
autonomic nervous dysfunction, 423  
autonomic nervous system, 500  
autonomic nervous tissue autoantibodies, 423  
avidity, 447
- B cell, 509  
B cells, 464  
B1 cells, 392  
bacterial adhesion, 285  
Bax, 324  
Bcl-2, 324, 434  
biochemical analysis of amastigote soluble antigens, 203  
biosensor, 270  
brain, 492  
Btk, 386
- calcium, 132  
calcium mobilization, 386  
CAMPATH, 158  
carcinogenesis, 296  
cardiovascular tests, 423  
cathepsin G, 41  
CD2, 63, 79  
CD4 subsets, 63  
CD40, 509  
CD40 ligand, 174  
CD69, 524  
CD79b, 509  
CD95, 329  
cellular immune response, 26
- cerebrospinal fluid, 492  
Chagas' disease, 219  
chemotactic factors, 139  
cholinergic receptors, 189  
chronic graft-versus-host disease, 454  
circadian rhythm, 500  
co-infection, 196  
colon carcinoma cell lines, 296  
colonization epitope, 285  
common variable immunodeficiency, 167, 174  
complement, 45, 122, 310, 403  
complement activation, 317  
complement receptors, 310  
connective tissue diseases, 423  
costimulation, 79, 174  
costimulatory molecules, 104  
crescent, 233  
Crohn's disease, 104  
cryoglobulins, 9  
*Cryptococcus neoformans*, 196  
CTLA-4, 98  
cutaneous leishmaniasis, 203  
cutaneous lymphomas, 464  
cyclosporin A, 79  
cytokine, 26, 447  
cytokines, 92, 114  
cytomegalovirus, 349  
cytotoxic T lymphocytes, 15
- deficiency, 403  
degranulation, 139  
dengue virus, 35  
DNA methylation, 265
- ELISA, 317  
engineering vaccinia virus, 144  
eosinophilic cationic protein, 524  
eosinophils, 524  
epithelial cells, 362  
epitope mapping, 270  
*Escherichia coli*, 72  
expression system, 257
- Fas, 324  
Fas-mediated apoptosis, 434  
Fc $\alpha$  receptor, 226  
fibrosis, 233  
flavivirus, 358  
fMLP, 132  
fusidic acid, 479
- gammopathy, 472  
gingival fibroblasts, 277  
glomerulonephritis, 233, 403  
granulocyte-macrophage colony-stimulating factor, 492  
granulocytes, 500  
Graves' disease, 292
- haemagglutinin, 285  
haematopoiesis, 392  
healthy subjects, 292  
heat shock proteins 72 kD, 292  
heparin, 485  
hepatitis, 479  
hepatitis C virus, 4

- hGH-V, 336  
HIV, 22, 26, 341  
HIV<sup>+</sup> IgA, 189  
HLA, 428  
HLA-DQ genes, 98  
hsp, 72  
human, 257, 418, 509  
human intestinal mucosa, 104  
human pituitary growth hormone, 336  
humans, 516
- IFN- $\gamma$  receptor, 524  
IgA nephropathy, 226  
IgA receptor, 226  
IgE, 241  
IL-10, 296, 492  
IL-12, 378  
IL-18, 378  
IL-2, 167  
IL-4, 410  
IL-5, 114  
IL-7, 329  
IL-8, 492  
immunoassay, 219  
immunodeficiency, 392  
immunoglobulin genes, 464  
immunoglobulins, 4  
immunologic deficiency syndromes, 4  
immunopathogenesis, 15  
immunosuppression, 349  
immunotherapy, 114, 158, 479  
*in vitro*, 418  
infected cells, 358  
infectious arthritis, 370  
insulin gene, 98  
insulin-dependent diabetes mellitus, 98  
intercellular adhesion molecule-1, 362  
interferon-gamma, 196, 362, 378, 410, 447  
interferon-gamma and IL-4 evaluation, 203  
interferons, 4  
interleukins, 127  
intracellular cytokines, 410  
isotype, 212  
IVIg, 122
- knockout mice, 403
- lectin, 317  
leucocyte subsets, 324  
leucocytes, 500  
liver, 9  
low molecular weight, 485  
lung, 341  
lupus, 310  
lymphatic organs, 63  
lymphocyte, 418  
lymphocyte subset, 500
- macrophage, 233  
macrophages, 104  
magnetic resonance imaging, 492  
MAIDS, 196  
malaria, 41, 212  
mannose-binding protein, 317  
mast cell, 485  
membranous Fas, 303  
mercury, 86, 418  
MHC class II, 516  
monoclonal antibody, 53  
monoclonal immunoglobulins, 472  
monocytes, 516  
MRL/Mp-*lpr/lpr* mice, 265  
muscarinic signalling, 189  
mycobacteria, 26  
myeloperoxidase, 270
- n-3 PUFA, 516  
nAChR, 219  
nephritis, 9  
neurological complication, 423  
neuromyopathy, 219  
neutrophil autoantigens, 250  
neutrophils, 132, 139  
N<sup>G</sup>-monomethyl-L-arginine, 370  
nhuIL-2 therapy, 167  
nimesulide, 139  
nitric oxide, 370  
NOD mouse, 440  
(NXB  $\times$  NZW)F<sub>1</sub> mice, 86
- paediatric HIV infection, 15  
passive protection, 358  
pathway, 317  
periodontitis, 277, 285  
peripheral blood leucocytes, 349  
peripheral blood mononuclear cells, 336  
*Pichia*, 257  
placenta, 212  
plasmin, 35  
plasminogen, 35  
*Plasmodium falciparum*, 212  
*Porphyromonas gingivalis*, 285  
pre B cells, 329, 386  
pregnancy, 336  
priming, 139  
pro-B cells, 329  
proliferation, 233  
prolonged immunostimulation, 182  
prostaglandin E<sub>2</sub>, 296  
protein conformation, 472  
psoriasis, 158
- rat, 45, 79  
recombinant proteinase 3, 257  
renal immune complex deposits, 86  
reticular dysgenesis, 392  
rheumatoid arthritis, 158, 250, 428  
rhinovirus, 362  
Ro/SS-A, 53  
Ro52 antigen, 53
- sarcoidosis, 92  
sCD23, 92  
scintigraphy, 9  
sCRI, 45  
secretory IgA, 341  
serum lectin, 317  
sialic acid, 22  
signal transduction, 386  
silicosis, 303  
Sjögren's syndrome, 440  
soluble Fas, 303  
spleen, 9  
sponge matrix model, 397  
surfactant protein A, 241  
surfactant protein D, 241
- T cell, 114, 182  
T cell receptor, 174, 428  
T cells, 72, 479  
T lymphocytes, 277  
therapy, 63  
thymus, 79  
thyrocytes, 434  
thyroid stimulation blocking antibodies, 434  
thyroid-stimulating antibodies, 434  
tick-borne encephalitis virus, 358  
tolerance induction, 349

transforming growth factor-beta 1, 296  
transplantation, 447  
*Trypanosoma cruzi*, 378  
tumour necrosis factor, 492  
tumour necrosis factor-alpha, 485  
tumour regression, 127  
  
ulcerative colitis, 104  
  
V $\beta$  usage, 440

vasculitis, 270  
vitamin D3, 92

Wegener's granulomatosis, 257  
whole blood, 410

X-linked agammaglobulinaemia, 386  
xenotransplantation, 122

ZAP-70, 397



